

IGCP 440 Major Scientific Contributions

1999-2000

Journal special issue sponsored by the Project:

Gondwana Research (Vol. 4, No. 1, Jan. 2001) special issue on Crustal Evolution in South and Southeast Asia, co-edited by S. Hada, M. Yoshida, Z.X. Li and X. Wang. It was based on papers presented at the field symposium on Geodynamic and Tectonic Evolution of China and Related Gondwana Crustal Fragments, held in Yichang, 9-20 October, jointly sponsored by IGCP368/411/440.

Andersson, J., Söderlund, U., Cornell, D., Johansson, L., Möller, C., 1999. Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion. *Precamb. Res.*, 98, 151-171.

Arouri, K., Conaghan, P.J., Walter, M. R, Bischoff, G. C. and Grey, K., 2000. Reconnaissance sedimentology and hydrocarbon biomarkers of Ediacarian microbial mats and acritarchs, lower Ungoolya Group, Officer Basin. *Precamb. Res.*, 100, 235-281.

Burrett, C., Berry R., 2000. Proterozoic Australia-Western United States (AUSWUS) fit between Laurentia and Australia. *Geology*, 28, 103-106.

Calver, C.R., Walter, M.R., 2000. The late Neoproterozoic Grassy Group of King Island, Tasmania: correlation and palaeogeographic significance. *Precamb. Res.*, 100, 299-312.

Collins A.S., Windley B.F. & Razakamanana T., 2000. Neoproterozoic crustal-scale extensional detachment in central Madagascar: implications for extensional collapse of the East African Orogen. *Geological Magazine*, 137, 39-51.

Collins, A.S. 2000. The Tectonic Evolution of Madagascar: Its place in the East African Orogen. *Gondwana Research (Gondwana Newsletter Section)*, 3, 549-552.

Evans, D.A., 2000. Stratigraphic, geochronological, and paleomagnetic constraints upon the Neoproterozoic climatic paradox. *Am. J. Sci.*, 300, 347-433.

Evans, D.A., Li, Z.X., Kirschvink, J.J. and Wingate, M.T.D., 2000. A high-quality mid-Neoproterozoic palaeomagnetic pole from South China, with implications for ice ages, regional stratigraphy, and the breakup configuration of Rodinia. *Precamb. Res.* 100, 313-334.

Fitzsimons, I.C.W., 2000. Grenville-age basement provinces in East Antarctica: Evidence for three separate collisional orogens. *Geology*, 28, 879-882.

Ge, W., Li, X.H., Li, Z.X., Zhou, H., 2000. "Longsheng Ophiolite" in Northern Guangxi revisited. *Acta Petrologica Sinica* 16(1), 111-118 (in Chinese with English abstract).

Gehling, J.G., 1999. Microbial mats in terminal Proterozoic siliciclastics: Ediacaran death masks. *Palaios*, 14, 40-57.

Gehling, J.G., 2000. Sequence stratigraphic context of the Ediacara Member, Rawnsley Quartzite, South Australia: a taphonomic window into the Neoproterozoic biosphere. *Precamb. Res.*, 100, 65-95.

Gehling, J.G., Narbonne, G.M., and Anderson, M.M. 2000. The first named Ediacaran body fossil: *Aspidella: terranova* Billings 1872. *Palaeontology* 43, 427-456.

Gorjan, P., Veevers, J.J., Walter, M.R., 2000. Neoproterozoic sulfur-isotope variation in Australia and global implications. *Precamb. Res.*, 100, 151-179.

Grey, K., Blake, D.H., 1999. Neoproterozoic (Cryogenian) stromatolites from the Wolfe Basin, east Kimberley, Western Australia: correlation with the Centralian Superbasin. *Aust. J. Earth Sci.*, 46, 329-341.

Hanley, L.M. & Wingate, M.T.D., 2000. A SHRIMP zircon age for an Early Cambrian dolerite dyke - an intrusive phase of the Antrim Plateau Volcanics of northern Australia. *Australian Journal of Earth Sciences*, 46: 1029-1040.

Hill, A.C., Cotter, K.L., Grey, K., 2000. Mid-Neoproterozoic biostratigraphy and isotope stratigraphy in Australia. *Precamb. Res.*, 100, 281-298.

Hill, A.C., Walter, M.R., 2000. Mid-Neoproterozoic (~830--750 Ma) isotope stratigraphy of Australia and global correlation. *Precamb. Res.*, 100, 181-211.

Johansson, L., Möller, C., Söderlund, U., 2000 (in press). Geochronology of eclogite facies metamorphism in the Sveconorwegian Province of SW Sweden. *Precamb. Res.*

Kroener, A., Hegner, E., Collins, A.S., Windley, B.F., Brewer, T., Razakamanana, T. and Pidgeon, R. 2000. Age and magmatic history of the Antananarivo Block, central Madagascar, as derived from zircon geochronology and Nd isotopic systematics. *American Journal of Science*, 300, 251-288.

Li, X.-H., Sun, M., Wei, G.-J., Liu, Y., Lee, C.-Y., Malpas, J., 2000. Geochemical and Sm--Nd isotopic study of amphibolites in the Cathaysia Block, southeastern China: evidence for an extremely depleted mantle in the Paleoproterozoic, *Precamb. Res.* 102(3-4), 251-262.

Li, Z.X. and Powell, C. McA., 2000. An outline of the Palaeogeographic evolution of the Australasian region since the beginning of the Neoproterozoic. *Earth-Sci. Rev.*, 53, 237-277.

Li, Z.X. and Powell, C.McA.: Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangtze Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent - Discussion. *Precamb. Res.* 94, 1-5, 1999.

- Li, Z.X., 2000. New palaeomagnetic results from the "cap dolomite" of the Neoproterozoic Walsh Tillite, northwestern Australia. *Precamb. Res.*, 100, 359-370.
- Li, Z.X., 2000. Palaeomagnetic evidence for unification of the North and West Australian Cratons by ca. 1.7 Ga: new results from the Kimberley Basin of northwestern Australia. *Geophys. J. Int.*, 142, 173-180.
- Li, Z.X., Li, X.H., Kinny, P.D., Wang, J., 1999. The breakup of Rodinia: did it start with a mantle plume beneath South China? *Earth Planet. Sci. Lett.*, 173, 171-181.
- Möller, C., 1999. Sapphirine in SW Sweden: A record of Sveconorwegian (-Grenvillian) late-orogenic tectonic exhumation. *Journal of Metamorphic Geology*, 17, 127-141.
- Pisarevsky, S.A., Komissarova, R.A., Khramov, A.N., 2000. New palaeomagnetic results from Vendian red sediments in Cisbaikalia and the problem of the relationship of Siberia and Laurentia in the Vendian. *Geophysical Journal International*, 40, 598-610.
- Pisarevsky, S.A., Sokolov, S.J., 1999. Palaeomagnetism of the Palaeoproterozoic ultramafic intrusion near Konchozero Lake, Southern Karelia, Russia. *Precambrian Research*, 93, 201-213.
- Preiss, W.V., 2000. The Adelaide Geosyncline of South Australia and its significance in Neoproterozoic continental reconstruction. *Precamb. Res.*, 100, 21-63.
- Söderlund, U., Jarl, L.-G., Persson, P.-O., Stephens, M. B., Wahlgren, C.-H., 1999. Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden. *Precamb. Res.*, 94, 29-48.
- Walter, M.R., Veevers, J.J., Calver, C.R., Gorjan, A P., Hill, C., 2000. Dating the 840--544 Ma Neoproterozoic interval by isotopes of strontium, carbon, and sulfur in seawater, and some interpretative models. *Precamb. Res.*, 100, 371-433.
- Wang, J. and Li, Z.X., 2001. Sequence stratigraphy and evolution of the Neoproterozoic marginal basins along southeastern Yangtze Craton, South China. *Gond. Res.* 4(1), 5-16.
- Wingate, M.T.D. and Compston, W., 2000. Crystal orientation effects during ion microprobe U-Pb analysis of baddeleyite. *Chemical Geology*, 168: 75-97.
- Wingate, M.T.D. Ion microprobe U-Pb zircon and baddeleyite ages for the Great Dyke and its satellite dykes, Zimbabwe. *South African Journal of Geology*, 103: 74-80.
- Wingate, M.T.D., Campbell, I.H., & Harris, L.B., 2000. SHRIMP baddeleyite age for the Fraser Dyke Swarm, southeast Yilgarn Craton, Western Australia. *Aust. J. Earth Sci.*, 47, 309-313.
- Wingate, Michael T.D., Giddings, John W., 2000. Age and palaeomagnetism of the Mundine

Well dyke swarm, Western Australia: implications for an Australia-Laurentia connection at 755 Ma. *Precamb. Res.*, 100, 335-357.

Zhang, S., Li, Z.X., Wu, H. and Wang, H., 2000. New paleomagnetic results from the Neoproterozoic successions in southern North China Block and paleogeographic implications. *Science in China, Ser. D*, 43 Supp., 233-244.

Government reports

Bagas, L., Grey, K., Hocking, R.M., 1999. Neoproterozoic successions of the northwestern Officer Basin: a reappraisal. *Geological Survey of Western Australia Annual Review for 1998-99*, 39-44.

CARLSEN, G.M., APAK, S.N., GHORI, K.A.R., GREY, K. and STEVENS, M.K., 1999. Petroleum potential of the Neoproterozoic Western Officer Basin, Western Australia, based on a source-rock model from Empress-1A. *APPEA Journal*, v. 39, pt. 1, p. 322-342, Australian Petroleum Production and Exploration Association Limited.

Grey, K., 1999. A modified palynological preparation technique for the extraction of large Neoproterozoic acanthomorph acritarchs and other acid insoluble microfossils. *Geological Survey of Western Australia, Record 1999/10*, 23 p.

Grey, K., 1999a, Appendix 7: Proterozoic palynology of samples from Empress 1A in Stevens, M.K. and Apak, S.N., *GSWA Empress 1 and 1A Well Completion Report, Yowalga Sub-basin, Officer Basin, Western Australia: Western Australia Geological Survey, Record 1999/4*, 68-69.

Grey, K., 1999b, Appendix 8: Proterozoic stromatolite biostratigraphy of Empress 1A in Stevens, M.K. and Apak, S.N., *GSWA Empress 1 and 1A Well Completion Report, Yowalga Sub-basin, Officer Basin, Western Australia.: Western Australia Geological Survey, Record 1999/4*, 70-72.

GREY, K., APAK, S.N., EYLES, C., EYLES, N., STEVENS, M.K., CARLSEN, G.M., 1999. Neoproterozoic glaciogene successions, western Officer Basin, Western Australia. *Geological Survey of Western Australia Annual Review for 1998-99*, p. 73-80.

Preiss, W.V., 1999. The Curnamona Province and its tectonic setting. *Minfo, New South Wales Department of Mineral Resources*, 62, 6-9.

2001

IGCP 440 Journal Special Issue:

Powell, C.McA. and J.G. Meert (eds), 2001. Assembly and break-up of Rodinia. *Precamb. Res.*, 110, pp. 386.

IGCP 440 Field guides & abstract volumes

Santosh, M., S. Biju-Sekhar, and K.P. Shabeer (eds), 2001. Rodinia, Gondwana and Asia, Gondwana Research, 4, 334 pp.

Sircombe, K.N. and Z.X. Li (eds), From Mountains to Basins: Rodinia at the Turn of the Century. Geological Society of Australia Abstracts No. 65 (co-sponsored by IGCP 440 and the TSRC; 120 pp.

Sklyarov, E.V. (ed.), 2001. Assembly and breakup of Rodinia supercontinent: evidence from South Siberia. Guidebook and abstract volume, Workshop IGCP-440, Irkutsk. Russian Academy of Science Press, 201 pp.

Sklyarov E.V., Gladkochoub D.P., Mazukabzov A.M. et al., 2001. The petrological indicators of Rodinia breakup within Southern margin of the Siberian craton. Guidebook of geological Excursion on the Rodinia breakup, Irkutsk, TWIN, 78 pp.

Supercontinents at the geological history of Precambrian, Abstract Volume of Russian scientific Meeting. 2001, Irkutsk, TWIN, 330 pp.

Book edited by members:

Ernst, R.E., and K.L. Buchan (eds), 2001. Mantle Plumes: their identification through time. Geological Society of America, Special Paper 352, 592 pp.

Refereed journal articles

Buchan, K.L., Ernst, R.E., Hamilton, M.A., Mertanen, S., Pesonen, L.J., and Elming, S-A., 2001. Rodinia: the evidence from integrated palaeomagnetism and U-Pb geochronology. Precambrian Research, 110, 9-32.

Bylund, G., Pisarevsky, S.A. Remagnetisation in Mesoproterozoic dykes from the Protogine Zone, southern Sweden and the Sveconorwegian Loop. Geologiska foreningens i Stockholm forhandlingar (GFF), in press.

Eerola, T., 2001 Mud-flows, volcanic eruptions and/or glaciation in Lavras do Sul, RS? Geological research in Southern Brazil (in Portuguese, with English summary). Revista Xaman 1/2001. (http://www.helsinki.fi/hum/ibero/xaman/articulos/2001_01/eerola.html)

Eerola, T., 2001. Climate changes at the Neoproterozoic-Cambrian transition. In: Zhuravlev, A. & Riding, R. (eds.) The Ecology of the Cambrian Radiation. New York, Columbia University Press, 90-106.

Ge W.C., Li, X.H., Li, Z.X. and Zhou, H.W., 2001. Mafic intrusions in Longsheng area: age and its geological implications. *Chinese Journal of Geology*, 36, 112-118, 2001 (in Chinese with English abstract).

Ge W.C., Li, X.H., Li, Z.X. Wang, J., Zhou, H.W. and Lee, C.Y., 2001. Geological and geochemical evidence for the genesis of tremolitized mafic rocks from Baotan in northern Guangxi. *Geochimica*, 29, 253-258, 2001 (in Chinese with English abstract).

Ge W.C., Li, X.H., Li, Z.X., Zhou, H.W. and Lee, C.Y., 2001. Geochemical studies on two types of Neoproterozoic peraluminous granitoids in northern Guangxi. *Geochimica*, 30, 24-34, 2001 (in Chinese with English abstract).

Ge W.C., Li, X.H., Liang, X.R., Wang, R.C., Li, Z.X. and Zhou, H.W., 2001. Geochemistry and geological implications of mafic-ultramafic rocks with the age of ~825 Ma in Yuanbaoshan-Baotan area of northern Guangxi. *Geochimica*, 30, 123-130, 2001 (in Chinese with English abstract).

Gladkochoub D.P., Sklyarov E.V., Donskaya T.V., Mazukabzov A.M., 2001. Petrology of Neoproterozoic dike swarms of the Sharizhlgay salient. *Petrology*, 9 (6), 639-656 (complete translation in English will be published at the beginning of 2002).

Gladkochoub D.P., Sklyarov E.V., Menshagin Y.V., Mazukabzov A.M., 2001. Geochemical affinities of Early Precambrian ophiolites of the Sharizhlgay salient (Siberian craton). *Geochemistry*, 8, 224-243 (complete translation in English will be published at the beginning of 2002).

Glasmacher, U.A. et al., 2001. The metamorphic complex of Beloretzk, SW Urals, Russia a terrane with a polyphase Meso- to Neoproterozoic thermo-dynamic evolution. *Precamb. Res.*, 110, 185 - 213.

Golynsky, A. & Jacobs, J. 2001. Grenville-age versus Pan-African magnetic anomaly imprints in western Dronning Maud Land, East Antarctica. *J. Geol.*, 109, 136-142.

Hada, S., Yoshida, M., Li, Z.X. and Wang, X., 2001. Crustal evolution in South and Southeast Asia: introduction. *Gond. Res.*, 4(1), p. 3.

Halls, H.C. & Wingate, M.T.D., 2001. Palaeomagnetic pole from the Yilgarn B (YB) dykes of Western Australia: no longer relevant to Rodinia reconstructions. *Earth and Planetary Science Letters*, 187, 39-53.

Jung, S., Mezger, K. and Hoernes, S., 2001. Trace element and isotopic (Sr, Nd, Pb, O) arguments for a mid-crustal origin of Pan-African garnet-bearing S-type granites from the Damara orogen (Namibia). *Precamb. Res.*, 110, 325 - 355.

Kravchinsky, V.A., Konstantinov, K.M. and Cogné, J.-P., 2001. Palaeomagnetic study of

Vendian and Early Cambrian rocks of South Siberia and Central Mongolia: was the Siberian platform assembled at this time? *Precamb. Res.*, 110, 61 - 92.

Kuzmichev, A.B., Bibikova, E.V. and Zhuravlev, D.Z., 2001. Neoproterozoic (~800 Ma) orogeny in the Tuva-Mongolia Massif (Siberia): island arc-continent collision at the northeast Rodinia margin. *Precamb. Res.*, 110, 109 - 126.

Li, X.-H., Li, Z.X., Zhou, H., Liu, Y., Kinny, P.D., 2001. U-Pb zircon geochronology, geochemistry and Nd isotopic study of Neoproterozoic bimodal volcanic rocks in the Kangdian Rift of South China: implications for the initial rifting of Rodinia. *Precamb. Res.*, 113, 135-155.

Li, Z.X. and Powell, C. McA., 2001. An outline of the Palaeogeographic evolution of the Australasian region since the beginning of the Neoproterozoic. *Earth-Sci. Rev.*, 53, 237-277.

Li, Z.X., Li, X.H., Zhou, H. and Kinny, P.D., 2001. Grenvillian continental collision in South China: New SHRIMP U-Pb zircon results and implications for the configuration of Rodinia. *Geology* (in press)

Loizenbauer, J. et al., 2001. Structural geology, single zircon ages and fluid inclusion studies of the Meatiq metamorphic core complex: Implications for Neoproterozoic tectonics in the Eastern Desert of Egypt. *Precamb. Res.*, 110, 357 - 383.

Lu Songnian, 2001. From Rodinia to Gondwanaland supercontinents. *Earth Science Frontiers*, 8(3), 441-448 (in Chinese with English abstract).

Lu Songnian, Li Huaikun, Yu Haifeng, 2001. Geological events, event sequence and event group, *Geological Review*, 47(5), 521-526 (in Chinese with English abstract).

Mazukabzov A.M., Stanevich A.M., Postnikov A.A., Sklyarov E.V., Gladkochoub D.P., 2001. The basement of Baikal series at the stratotype: syn- and postsedimental history. *Doklady Earth Science*, 381 (4) (complete translation in English will be published at the beginning of 2002).

McNamara, A. K., MacNiocaill, C., van der Pluijm, B. A., and Van der Voo, R., 2001. West African proximity of the Avalon terrane in the latest Precambrian. *Geol. Soc. America Bulletin*, 113, 1161-1170.

Meert, J.G. and Powell, C.McA.. 2001. Assembly and break-up of Rodinia: introduction to the special volume. *Precamb. Res.*, 110, 1 - 8.

Meert, J.G., and Van der Voo, R., 2001. Comment on 'New palaeomagnetic result from Vendian red sediments in Cisbaikalia and the problem of the relationship of Siberia and Laurentia in the Vendian' by S. A. Pisarevsky, R. A. Komissarova and A. N. Khramov. *Geophys. Jour. International*, 146, 867-870.

Meert, J.G., Nédélec, A., Hall, C., Wingate, M.T.D., Rakotondrazafy, M., 2001. Palaeomagnetism, geochronology and tectonic implications of the Cambrian-age Carion Granite,

central Madagascar. *Tectonophysics*, 340, 1-21.

Muhongo, S., Kröner, A. and Nemchin, A.A., 2001. Single zircon evaporation and SHRIMP ages for granulite-facies rocks in the Mozambique Belt of Tanzania. *J. Geol.*, 109, 171-189.

Pease, V., Gee, D., Vernikovskiy, V., Vernikovskaya, A., and Kireev, S., 2001 (in press). Geochronological evidence for late-Grenvillian magmatic and metamorphic events in central Taimyr, northern Siberia, *Terra Nova*.

Pease, V., Vernikovskiy, V., Gee, D., Vernikovskaya, A., and Kireev, S., 2001. The Mamont-Shrenk terrane: 900 Ma granites in the Neoproterozoic accretionary belt of central Taimyr. *Nedra* (in Russian).

Pedrosa-Soares, A.C., Noce, C.M., Wiedemann, C.M. and Pinto, C.P., 2001. The Araçuaí-West-Congo Orogen in Brazil: an overview of a confined orogen formed during Gondwanaland assembly. *Precamb. Res.*, 110, 307 - 323.

Peter A. Cawood, Charles A. Landis, Alexander A. Nemchin* & Shigeki Hadaá, 2001 (in press). Permian fragmentation, accretion and subsequent translation of a low-latitude Tethyan seamount to the high-latitude east Gondwana margin: Evidence from detrital zircon age data. *Geological Magazine*.

Pisarevsky, S.A., Harris, L.B., 2001. Rock magnetic and palaeomagnetic results from high-grade metamorphic and intrusive rocks: Determination of magnetic anisotropy and a 1.2 Ga palaeomagnetic pole from the Bremer Bay area, Albany Mobile Belt, Western Australia. *Australian Journal of Earth Sciences*, 48, 101-112.

Pisarevsky, S.A., Ivanova, I.V., Khramov, A.N., Gooskova, E.G., Krasnova, A.F., Arestova, N.A., Lobach-Zhuchenko, S.B., 2001. Paleomagnetic studies of gabbro-norites of the southern White Sea region, Karelia, Russia. *International Journal of Geomagnetism and Aeronomy*, 2, 1-7.

Pisarevsky, S.A., Komissarova, R.A., Khramov, A.N., 2001. Reply to the comment of J.G. Meert and R. Van der Voo "New palaeomagnetic results from Vendian red sediments in Cisbaikalia and the problem of the relationship of Siberia and Laurentia in the Vendian". *Geophysical Journal International*, 146, 871-873.

Pisarevsky, S.A., Li, Z.X., Grey, K. and Stevens, M.K., 2001. A palaeomagnetic study of Empress 1A, a stratigraphic drillhole in the Officer Basin: evidence for a low-latitude position of Australia in the Neoproterozoic. *Precamb. Res.*, 110, 93 - 108.

Pisarevsky, S.A., Sokolov, S.J., 2001. The magnetostratigraphy and a 1780 Ma palaeomagnetic pole from the red sandstones of the Vazhinka River section, Karelia, Russia. *Geophysical Journal International*, 146, 531-538.

Powell, C.McA, Jones, D.L, Pisarevsky, S.A., Wingate, M.T.D., 2001. Paleomagnetic constraints on the position of the Kalahari craton in Rodinia. *Precambrian Research*, 110, 33-46.

Powell, C.McA., Pisarevsky, S.A., 2001 (in press). Late Neoproterozoic assembly of East Gondwanaland. *Geology*.

Salnikova, E.B. et al., 2001. Age of Palaeozoic granites and metamorphism in the Tuvino-Mongolian Massif of the Central Asian Mobile Belt: loss of a Precambrian microcontinent, *Precamb. Res.*, 110, 143 - 164.

Scarrow, J., Pease, V., Fleutelot, C., Dushin, V., 2001. The late Neoproterozoic Engenape ophiolite, Polar Urals, Russia: An extension of the Cadomian arc? *Precambrian Research* , 110, 255-276.

Scarrow, J.H. , Pease, V., Fleutelot, C. and Dushin, V., 2001. The late Neoproterozoic Engenape ophiolite, Polar Urals, Russia: An extension of the Cadomian arc? *Precamb. Res.*, 110, 255 - 275.

Sklyarov E.V., Fedorovsky V.C., Gladkochoub D.P., Vladimirov A.G., 2001. Syn-metamorphic mafic dikes as indicators of collapse of collisional structure at the Western Baikal area at the extensional conditions. *Doklady Earth Science*, V. 381 (4) (complete translation in English will be published at the beginning of 2002).

Sklyarov E.V., Gladkochoub D.P., Donskaya T.V., Kozakov I.K., 2001. Supercontinents at the geological history of Precambrian. *Geotectonics*, V. 6. (complete translation in English will be published at the beginning of 2002).

Sklyarov E.V., Gladkochoub D.P., Watanabe T., Fanning M.K., Mazukabzov A.M., Ota T., 2001. Archean supracrustal rocks of Sharizhlgay salient and their tectonic implications. *Doklady Earth Science*, 377a (3), 370-375 (in English).

Svenningsen, O.M., 2001. Onset of seafloor spreading in the Iapetus Ocean at 608 Ma: precise age of the Sarek Dyke Swarm, northern Swedish Caledonides. *Precamb. Res.*, 110, 241 - 254.

Tack, L., Wingate, M.T.D., Liégeois, J.-P., Fernandez-Alonso, M. and Deblond, A., 2001. Early Neoproterozoic magmatism (1000-910 Ma) of the Zadinian and Mayumbian Groups (Bas-Congo): onset of Rodinia rifting at the western edge of the Congo craton. *Precamb. Res.*, 110, 277 - 306.

Thorkelson, D.J., Mortensen, J.K., Davidson, G.J., Creaser, R.A., Perez, W.A. and Abbott, J.G., 2001. Early Mesoproterozoic intrusive breccias in Yukon, Canada: the role of hydrothermal systems in reconstructions of North America and Australia. *Precamb. Res.*, 111, 31-55.

Torsvik, T.H., Ashwal, L.D., Tucker, R.D. and Eide, E.A., 2001. Neoproterozoic geochronology and palaeogeography of the Seychelles microcontinent: the India link. *Precamb. Res.*, 110, 47 - 59.

Vernikovskiy, V., Pease, V., Vernikovskaya, A., Gee, D., Travin, A., 2001. Early Triassic A-type granites of Taimyr - result of northern Asian superplume. Doklady RAN, 380(1), 87-93 (in Russian).

Vernikovskiy, V.A. and Vernikovskaya, A.E., 2001. Central Taimyr accretionary belt (Arctic Asia): Meso-Neoproterozoic tectonic evolution and Rodinia breakup, Precamb. Res., 110, 127 - 141.

Wang, J. and Li, Z.X., 2001. Sequence stratigraphy and evolution of the Neoproterozoic marginal basins along southeastern Yangtze Craton, South China. Gond. Res., 4(1), 5-16.

Watt, G.R. and Thrane, K., 2001. Early Neoproterozoic events in East Greenland, Precamb. Res., 110, 165 - 184.

Williams, G.E., 2001. Neoproterozoic (Torridonian) alluvial fan succession, northwest Scotland, and its tectonic setting and provenance. Geological Magazine, 138, 471-494.

Willner, A.P. et al., 2001. Contrasting provenance signals in Riphean and Vendian sandstones in the SW Urals (Russia): constraints for a change from passive to active continental margin conditions in the Neoproterozoic, Precamb. Res., 110, 215 - 239.

Wingate, M.T.D., 2001. SHRIMP baddeleyite and zircon ages for an Umkondo dolerite sill, Nyanga Mountains, eastern Zimbabwe. South African Journal of Geology, 104, 13-22.

Wingate, M.T.D., Pisarevsky, S.A. & Evans, D.A.D., 2001. A revised Rodinia supercontinent: no SWEAT, no AUSWUS. Terra Nova, in press.

2002

Bauer, W., Jacobs, J. & Paech, H.-J., 2001. Structural evolution of the Proterozoic basement of central Dronning Maud Land. Geol. Jahrbuch, in press.

Collins A.S. and Windley B.F. in press. The Tectonic Evolution of Central and Northern Madagascar and its place in the Final Assembly of Gondwana. The Journal of Geology

Collins, A.S., Fitzsimons, I.C.W., Hulscher, B. and Razakamanana, T. in press. Structure of the Eastern East African Orogen in Central Madagascar. Precambrian Research

Donskaya T.V., Salnikova E.B., Sklyarov E.V., Gladkochoub D.P. Early Proterozoic post-collisional magmatism at Southern margin of the Siberian craton: new geochronological data and tectonic implications // Doklady Earth Science. 2001 (submitted).

Jacobs, J, Bauer, W., Schmidt, R., 2001. Geologischen Expedition in die Heimefrontfjella 2000/01. Berichte der Polarforschung, in press.

Jacobs, J. & Bauer, 2001. W. Gjelsvikfjella, Mühlig-Hoffmann-Gebirge: Another piece of the East Antarctic Orogen? *Zeitschr. dt. Geol. Ges.*,

Jacobs, J. & Thomas, R.J. 2001. The Mozambique Belt from an East Antarctic perspective. *New Zealand J. Geol. Geophys.*, in press.

Jacobs, J. & Thomas, R.J., 2001. A titanite fission-track profile across the SE Archean Kaapvaal craton and the Mesoproterozoic Natal Metamorphic Province, South Africa: evidence for differential cryptic Meso- to Neoproterozoic tectonism. *J. Afr. Earth Sci.*, in press

Konstantinov K.M., and Watanabe T. Neoproterozoic mafic dike swarms in the southern margin of the Angara-Anabar craton // *Precambrian Research*, 2001 (submitted).

Konstantinov K.M., Kravchinski V.A., Sklyarov E.V., Gladkochoub D.P. Paleomagnetic characteristics of Neoproterozoic mafic dike swarms of the Sharizhlgay salient // *Russian Geology and Geophysics*. 2001 (submitted).

Murphy, J.B., Pisarevsky, S.A., Nance, R.D., Keppie, J.D. Animated history of Avalonia in Neoproterozoic early Paleozoic. *Virtual*

Pisarevsky, S.A., Wingate, M.T.D., Powell, C.McA, Johnson, S., Evans, D.A.D. Models of Rodinia assembly and fragmentation. *Geological Society of London, special publication*, submitted.